

**Acknowledgment and
Notice of Acknowledgment
of Acceptance of R.S. 2477
Right-of-Way Grant**

ENTRY NO. 00253707

06/18/2008 11:40:53 AM B: 0524 P: 0549
2477 Road Acceptance PAGE 1 / 13
CRAIG J. SPERRY JUAB COUNTY RECORDER
FEE \$ 0.00 BY STATE OF UTAH



THE STATE OF UTAH

TO ALL WHOM THESE PRESENTS SHALL COME, Greeting:

Know ye, This is an Acknowledgment and Notice of Acknowledgment made under Utah Code Sections 72-5-309 through 310 inclusive, that the grant of the United States of America of "the right of way for the construction of highways over public lands, not reserved for public uses" under United States Revised Statutes 2477 (43 U.S.C. Section 932 (repealed October 21, 1976, with proviso recognizing the validity of rights-of-way already established)) was accepted for and on behalf of the State of Utah and its political subdivision Juab County as it pertains to the highway located in Juab County known as POLE LINE ROAD; County Road Number: 15119901; State Geographic Information Database (SGID) Road Identification Number: RD121018. Total road length is 17.37 miles more or less.

The reason for this Acknowledgment and Notice of Acknowledgment includes, but is not limited to, the fact that the road was constructed, mechanically, or by continuous use as a public highway for a period of at least ten years, over public lands not reserved for public uses, prior to the earlier of (a) the October 21, 1976 repeal of R.S. 2477 or (b) the date the servient estate was reserved for public uses.

This Acknowledgment and Notice of Acknowledgment applies only to the segments of the road that traverse land owned by the Bureau of Land Management, United States Department of the Interior, and does not apply to segments of the road that traverse land owned by any other person or entity. The State of Utah and its political subdivisions reserve the right to make further acknowledgments and notices of acknowledgment with regard to road segments that traverse land owned by other entities, including the United States of America, through one or more of its agencies.

A printed copy of a map showing the location of the road in said county is appended hereto as "Attachment 1," a printed copy of representative photos of the road is appended hereto as "Attachment 2," a printed copy of a description of the beginning and ending points of the entire road together with a list of Townships, Ranges and Sections that may be traversed by the road in said county is appended hereto as "Attachment 3," and a printed copy of the Road Centerline Description Cover Page(s) is appended hereto as "Attachment 4." The Appendices listed in "Attachment 4" that contain the actual road centerline descriptions are incorporated herein by reference. Affidavits provided by individuals familiar with the road are appended hereto as "Attachment 5."

A printed copy of this Acknowledgment and Notice of Acknowledgment, together with its Attachments and Appendices, may be viewed and/or obtained at the office of the Utah State Archives.

An electronic copy of this Acknowledgment and Notice of Acknowledgment, together with its Attachments and Appendices, may be viewed and/or downloaded as read-only PDF (Portable Document Format) files via the


Internet at <http://recorded2477roads.utah.gov>.

The owner of the servient estate in the land underlying the road-segments subject to this Acknowledgment and Notice is believed to be the United States of America through one or more of its agencies. Any of such agencies or any other person with a servient ownership claim or a competing dominant estate right-of-way ownership claim, may file a petition in the State District Court for Salt Lake County for a decision regarding the correctness of this Acknowledgment. A claimant shall file a petition within sixty (60) days after receipt of this Notice.

In Witness Whereof, I, John Harja, the official designee of the Governor of the State of Utah, in conformity to the laws of the State (Utah Code Sections 72-5-308 through 310 inclusive), have caused this Acknowledgment and Notice of Acknowledgment to be made.

Signed by my hand in Salt Lake City, Utah, the 17th day of June, 2008.

By the Governor's Designee




John Harja

CERTIFICATION


State of Utah)
 : ss
County of Salt Lake)

I hereby certify that the signer of the foregoing document, John Harja, is personally known by me, has made a voluntary signature and taken an oath stating that he is the official designee of the Governor of the State of Utah and is authorized to sign this document on the Governor's behalf pursuant to Utah Code Section 72-5-309. He further vouched that, based upon information and belief, the facts alleged therein are true.

Dated this 17 day of June, 2008.



Notary Public





POLE LINE ROAD - Juab County
SGID RD_ID RD121018

Land Ownership Categories

- BLM
- Private
- SITLA, State Trust Land
- USFS, National Forest
- State Parks and Recreation
- Tribal, Indian Reservation
- NPS, National Park
- Wilderness
- UDWR Wildlife Reserve
- DOD, Military
- State Sovereign Land
- National Recreation Area
- USFWS, Nat. Wildlife Refuge

Transportation Network

- POLE LINE ROAD
- Other Roads
- Title V, Issued Or Under Consideration By ULM Or County
- Photo Event Point

Section = 1 Mile

1:101,992
1 inch equals 1.6 miles

Map prepared by the State of Utah
Automated Geographic Reference Center
Utah State Office Building
Salt Lake City, Utah 84114
May 27, 2008



EP121018001



EP121018002



EP121018003



EP121018008

EP000000000

EP000000000

POLE LINE ROAD - Juab County
SGID RD_ID RD121018

Map prepared by the State of Utah
Automated Geographic Reference Center
Room 5130 State Office Building
Salt Lake City, Utah 84114
May 28, 2008



Attachment 3

Beginning & Ending Points and Township, Range, and Section References For:

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Total Road Length: 17.37 miles more or less.

Beginning at a point on the road centerline located at 39 degrees 42 minutes 26.98 seconds North Latitude and -113 degrees 48 minutes 40.81 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 990,248.0 feet and Y = 7,070,582.3 feet based on the US Survey Foot conversion.

Ending at a point on the road centerline located at 39 degrees 50 minutes 35.11 seconds North Latitude and -113 degrees 33 minutes 04.01 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,064,565.7 feet and Y = 7,118,171.2 feet based on the US Survey Foot conversion.

This road may traverse:

Township 11 South Range 15 West, Section(s) 28,29,31,32, Salt Lake Base & Meridian

Township 11 South Range 16 West, Section(s) 36, Salt Lake Base & Meridian

Township 12 South Range 16 West, Section(s) 1,2,3,9,10,16,17,20,29,30, Salt Lake Base & Meridian

Township 12 South Range 17 West, Section(s) 25,34,35,36, Salt Lake Base & Meridian

Township 13 South Range 17 West, Section(s) 3,4,5,7,8, Salt Lake Base & Meridian

See Attachment 1 above for a cartographic depiction of the course of this road.

**Attachment 4
Road Centerline Description Cover Page(s)**

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Total Road Length: 17.37 miles more or less.

Centerline Descriptions Of Road-Segments That Cross Over Federally Owned Land, Derived From Global Positioning System Data And Cross-checked against USGS Digital Orthophoto Quadrangles Compiled By The Utah Automated Geographic Reference Center And Entered Into The State Geographic Information Database (SGID).

| Road-Segments Listed by SGID Road Identification Number (RD_ID) | Road-Segment Numbers | Believed Ownership Of Servient Estate | Approximate Segment Length | See Attached Appendix |
|--|---------------------------------|--|---|----------------------------------|
| RD121018 | 001 | BLM | 2.97 Miles | A |
| RD121018 | 002 | PVT | 0.24 Miles | (not shown) |
| RD121018 | 003 | BLM | 0.09 Miles | B |
| RD121018 | 004 | PVT | 0.32 Miles | (not shown) |
| RD121018 | 005 | BLM | 0.29 Miles | C |
| RD121018 | 006 | PVT | 0.33 Miles | (not shown) |
| RD121018 | 007 | BLM | 1.33 Miles | D |
| RD121018 | 008 | ST | 0.66 Miles | (not shown) |
| RD121018 | 009 | BLM | 3.52 Miles | E |
| RD121018 | 010 | ST | 0.99 Miles | (not shown) |
| RD121018 | 011 | BLM | 1.93 Miles | F |
| RD121018 | 012 | ST | 1.22 Miles | (not shown) |
| RD121018 | 013 | BLM | 0.2 Miles | G |
| RD121018 | 014 | ST | 1.18 Miles | (not shown) |
| RD121018 | 015 | BLM | 0.41 Miles | H |
| RD121018 | 016 | ST | 0.05 Miles | (not shown) |
| RD121018 | 017 | BLM | 1.65 Miles | I |
| Total Road Length | | | 17.37 | |

* Indicates that a Title V permit will be requested, is in process, or has been issued.

† Indicates that road-segments crossing Forest Service land are under consideration by the state and county as of the date of this Acknowledgment and Notice of Acknowledgment.

Attachment 5

AFFIDAVIT OF ROBERT STEELE

POLE LINE ROAD

COUNTY ROAD NUMBER 15119901

JUAB COUNTY, UTAH

State of Utah)
 : ss.
County of Juab)

ROBERT STEELE, being first duly sworn, deposes and states as follows:

1. I am an adult competent to testify about the matters set forth below based upon my personal knowledge. I have lived in Juab County for 71 years. I was a Juab County Commissioner from 1999-2006.

2. I have traveled and am familiar with a road in Juab County known as Pole Line Road. I am also familiar with the land the road traverses. When I first used and observed the road in 1942, it followed the same route as in 2006 when I last observed it. Attached is a Juab County map showing Pole Line Road. To the best of my knowledge and based upon my use of and familiarity with this road and the land it traverses, the location and route of the road are correctly illustrated on the attached map. The County also identifies this road according to the road number listed above.

3. I have observed that the road has been open to the public for all to use, to come and go as they pleased, since at least as early as 1942 and continuing through 1976 to 2006. Throughout this time period I have observed travel on the road by various means, including cars, trucks, maintenance vehicles, jeeps and ATV's. Throughout this time period, the road has been used daily for more than ten continuous years prior to 1976, and was used daily in 2006.

4. Throughout the time period from 1942 to 2006, I have used the road myself for hunting, trapping, rock hounding, traveling in and through the area and prospecting for minerals.

5. Throughout the time period described in the previous paragraph, I observed vehicles using the road at various times for the uses described in the previous paragraph, plus livestock operations, farming, ranching, residential access, mining, camping, recreation and government access.

6. It is also the reputation in the community that this road has been open to the public for all to use, to come and go as they pleased, since at least as early as the early 1900s and continuing through 1976 to the present, for the uses described in the previous paragraphs.

7. Prior to 1976, I observed graders performing maintenance and construction activities on the road.

Dated this 6 day of June, 2007.



ROBERT STEELE

SUBSCRIBED AND SWORN to before me this 6th day of June, 2007.





NOTARY PUBLIC



Juab County RS2477 Assertions June 2006

Pole Line Rd



AFFIDAVIT OF RON JONES

POLE LINE ROAD

JUAB COUNTY, UTAH

ROAD NUMBER 15119901

State of Utah)
 : ss.
County of Juab)

RON JONES, being first duly sworn, deposes and states as follows:

1. I am an adult competent to testify about the matters set forth below based upon my personal knowledge. I currently reside in Nephi, Juab County, Utah. I have lived in Juab County for 85 years. I was an employee of the Juab County Road Department for 38 years from 1947 to 1987 and have participated in maintenance of county B roads during that time.

2. I have traveled and am familiar with a road in Juab County known as Pole Line Road. I am also familiar with the land the road traverses. When I first used and observed the road in the late 1940s it followed the same route as in 2002 when I last observed it. Attached is a Juab County map showing Pole Line Road. To the best of my knowledge and based upon my use of and familiarity with this road and the land it traverses, the location and route of the road are correctly illustrated on the attached map.

3. I am informed that the County also identifies this road according to the road number listed above.

4. I have observed that the road has been open to the public for all to use, to come and go as they pleased, since at least as early as the late 1940s and continuing through 1976 to 2002. Throughout this time period I have observed travel on the road by means of cars, trucks, recreational vehicles, and pickup trucks. Throughout this time period, the road has been used weekly for more than ten continuous years prior to 1976, and was used weekly in 2002.

5. Throughout the time period from the late 1940s to 2002, I have used the road myself for county road maintenance, sight-seeing and travel in and through the area.

6. Throughout the time period described in the previous paragraph, I have observed other vehicles from the general public using the road at various times for the uses described in the previous paragraph, plus livestock operations, farming and residential access, rock hounding, prospecting for minerals, mining, hunting, trapping and recreation.

7. It is also the reputation in the community that this road has been open to the public for all to use, to come and go as they pleased, since at least as early as the early 1900s and continuing through 1976 to the present, for the uses described in the previous paragraphs.

8. Prior to 1976 I participated in maintenance and construction activities on the road as a county road employee.

DATED this 6 day of June, 2007.

Ron Jones
RON JONES



SUBSCRIBED AND SWORN to before me this 6th day of June, 2007.



Gloria Schrader
NOTARY PUBLIC

Juab County RS2477 Assertions June 2006

Pole Line Rd



Appendix A to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 001

Road-Segment Length: 2.97 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 13 South Range 17 West, Section(s) 4,5,7,8, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 001 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 42 minutes 26.98 seconds North Latitude and -113 degrees 48 minutes 40.81 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 990,248.0 feet and Y = 7,070,582.3 feet; thence the following courses along the said road center line:

thence South 70 Degrees 31 Minutes 02 Seconds East 8.7 feet
thence South 74 Degrees 13 Minutes 31 Seconds East 17.7 feet
thence South 79 Degrees 00 Minutes 23 Seconds East 83.6 feet
thence South 74 Degrees 22 Minutes 15 Seconds East 4.8 feet
thence South 74 Degrees 22 Minutes 15 Seconds East 2.4 feet
thence South 78 Degrees 21 Minutes 52 Seconds East 45.9 feet
thence South 77 Degrees 51 Minutes 29 Seconds East 86.7 feet
thence South 78 Degrees 39 Minutes 14 Seconds East 94.1 feet
thence South 78 Degrees 28 Minutes 09 Seconds East 116.6 feet
thence South 80 Degrees 23 Minutes 24 Seconds East 40 feet
thence South 79 Degrees 10 Minutes 24 Seconds East 22.1 feet
thence South 78 Degrees 27 Minutes 17 Seconds East 106.9 feet

thence South 78 Degrees 44 Minutes 01 Seconds East 148.6 feet
thence South 78 Degrees 37 Minutes 37 Seconds East 184.5 feet
thence South 79 Degrees 01 Minutes 26 Seconds East 207.7 feet
thence South 78 Degrees 27 Minutes 17 Seconds East 213.8 feet
thence South 78 Degrees 42 Minutes 09 Seconds East 218.3 feet
thence South 78 Degrees 54 Minutes 24 Seconds East 222.1 feet
thence South 78 Degrees 51 Minutes 42 Seconds East 229.5 feet
thence South 78 Degrees 54 Minutes 42 Seconds East 233.9 feet
thence South 78 Degrees 56 Minutes 38 Seconds East 236.2 feet
thence South 78 Degrees 41 Minutes 46 Seconds East 237.7 feet
thence South 78 Degrees 28 Minutes 31 Seconds East 242.9 feet
thence South 78 Degrees 44 Minutes 12 Seconds East 259.8 feet
thence South 78 Degrees 53 Minutes 39 Seconds East 263.3 feet
thence South 78 Degrees 37 Minutes 19 Seconds East 268.6 feet
thence South 78 Degrees 51 Minutes 33 Seconds East 275.7 feet
thence South 78 Degrees 52 Minutes 10 Seconds East 269.4 feet
thence South 78 Degrees 38 Minutes 37 Seconds East 264.2 feet
thence South 79 Degrees 18 Minutes 24 Seconds East 257.6 feet
thence South 78 Degrees 52 Minutes 27 Seconds East 172.9 feet
thence South 78 Degrees 54 Minutes 34 Seconds East 30.5 feet
thence South 77 Degrees 58 Minutes 37 Seconds East 43 feet
thence South 79 Degrees 00 Minutes 22 Seconds East 40.1 feet
thence South 78 Degrees 35 Minutes 28 Seconds East 106.5 feet
thence South 79 Degrees 19 Minutes 52 Seconds East 192.8 feet
thence South 82 Degrees 31 Minutes 17 Seconds East 229.7 feet
thence North 87 Degrees 10 Minutes 59 Seconds East 225.5 feet
thence North 81 Degrees 28 Minutes 52 Seconds East 220.7 feet
thence North 80 Degrees 45 Minutes 03 Seconds East 122.5 feet
thence North 79 Degrees 58 Minutes 51 Seconds East 64.2 feet
thence North 81 Degrees 07 Minutes 32 Seconds East 136.6 feet
thence North 81 Degrees 17 Minutes 57 Seconds East 177.7 feet
thence North 80 Degrees 55 Minutes 49 Seconds East 200.4 feet
thence North 81 Degrees 08 Minutes 10 Seconds East 222.9 feet
thence North 80 Degrees 21 Minutes 40 Seconds East 265.2 feet
thence North 80 Degrees 59 Minutes 31 Seconds East 288.6 feet
thence North 80 Degrees 59 Minutes 28 Seconds East 292.9 feet
thence North 80 Degrees 45 Minutes 14 Seconds East 295.8 feet
thence North 80 Degrees 57 Minutes 06 Seconds East 300.3 feet
thence North 81 Degrees 07 Minutes 10 Seconds East 306.1 feet
thence North 78 Degrees 38 Minutes 02 Seconds East 311.4 feet
thence North 67 Degrees 52 Minutes 16 Seconds East 313.3 feet
thence North 58 Degrees 30 Minutes 00 Seconds East 307.8 feet
thence North 56 Degrees 28 Minutes 30 Seconds East 286.8 feet
thence North 56 Degrees 28 Minutes 31 Seconds East 16.2 feet
thence North 56 Degrees 50 Minutes 18 Seconds East 308.4 feet
thence North 56 Degrees 17 Minutes 22 Seconds East 285.3 feet
thence North 56 Degrees 18 Minutes 47 Seconds East 29.3 feet
thence North 56 Degrees 58 Minutes 24 Seconds East 313.8 feet
thence North 57 Degrees 03 Minutes 08 Seconds East 315 feet

thence North 56 Degrees 59 Minutes 14 Seconds East 230.7 feet
thence North 56 Degrees 51 Minutes 17 Seconds East 36.3 feet
thence North 56 Degrees 46 Minutes 41 Seconds East 6.6 feet
thence North 57 Degrees 38 Minutes 24 Seconds East 104.5 feet
thence North 57 Degrees 28 Minutes 30 Seconds East 186.4 feet
thence North 57 Degrees 57 Minutes 22 Seconds East 236.4 feet
thence North 58 Degrees 09 Minutes 34 Seconds East 264.7 feet
thence North 58 Degrees 29 Minutes 31 Seconds East 269.1 feet
thence North 60 Degrees 51 Minutes 48 Seconds East 272.1 feet
thence North 60 Degrees 01 Minutes 55 Seconds East 324.2 feet
thence North 50 Degrees 34 Minutes 51 Seconds East 212.2 feet
thence North 48 Degrees 23 Minutes 50 Seconds East 264.9 feet
thence North 45 Degrees 56 Minutes 42 Seconds East 263.3 feet
thence North 49 Degrees 52 Minutes 08 Seconds East 274.5 feet
thence North 57 Degrees 35 Minutes 26 Seconds East 251.2 feet
thence North 57 Degrees 26 Minutes 00 Seconds East 65.1 feet
thence North 57 Degrees 18 Minutes 24 Seconds East 91.3 feet
thence North 56 Degrees 41 Minutes 41 Seconds East 178.3 feet
thence North 55 Degrees 01 Minutes 17 Seconds East 107.3 feet
thence North 55 Degrees 53 Minutes 02 Seconds East 47.8 feet
thence North 54 Degrees 18 Minutes 30 Seconds East 160.9 feet
thence North 54 Degrees 30 Minutes 44 Seconds East 232.3 feet
thence North 54 Degrees 50 Minutes 02 Seconds East 269.7 feet
thence North 60 Degrees 54 Minutes 33 Seconds East 20.2 feet more or less to **the ending**

point at: 39 degrees 43 minutes 00.67 seconds North Latitude and -113 degrees 45 minutes 37.57 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,004,648.5 feet and Y = 7,073,624.4 feet.

Appendix B to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 003

Road-Segment Length: 0.09 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 13 South Range 17 West, Section(s) 3,4, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 003 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 43 minutes 07.36 seconds North Latitude and -113 degrees 45 minutes 25.31 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,005,623.7 feet and Y = 7,074,276.7 feet; thence the following courses along the said road center line:

thence North 36 Degrees 59 Minutes 13 Seconds East 0.9 feet

thence North 40 Degrees 53 Minutes 18 Seconds East 273.3 feet

thence North 44 Degrees 56 Minutes 05 Seconds East 121.4 feet

thence North 44 Degrees 55 Minutes 01 Seconds East 73.9 feet more or less to **the ending**

point at: 39 degrees 43 minutes 10.86 seconds North Latitude and -113 degrees 45 minutes 21.36 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,005,941.0 feet and Y = 7,074,622.3 feet.

Appendix C to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 005

Road-Segment Length: 0.29 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 12 South Range 17 West, Section(s) 34, Salt Lake Base & Meridian

Township 13 South Range 17 West, Section(s) 3, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 005 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 43 minutes 21.82 seconds North Latitude and -113 degrees 45 minutes 05.27 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,007,225.3 feet and Y = 7,075,699.9 feet; thence the following courses along the said road center line:

thence North 71 Degrees 37 Minutes 57 Seconds East 38.6 feet
thence North 64 Degrees 10 Minutes 29 Seconds East 270.4 feet
thence North 50 Degrees 46 Minutes 53 Seconds East 279.4 feet
thence North 45 Degrees 26 Minutes 18 Seconds East 298.9 feet
thence North 46 Degrees 02 Minutes 22 Seconds East 303.6 feet
thence North 52 Degrees 06 Minutes 37 Seconds East 288.8 feet
thence North 63 Degrees 35 Minutes 57 Seconds East 26.2 feet
thence North 63 Degrees 39 Minutes 17 Seconds East 25 feet more or less to **the ending point**

at: 39 degrees 43 minutes 31.28 seconds North Latitude and -113 degrees 44 minutes 50.19 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,008,427.2 feet and Y = 7,076,627.2 feet.

Appendix D to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 007

Road-Segment Length: 1.33 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 12 South Range 17 West, Section(s) 34,35, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 007 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 43 minutes 39.02 seconds North Latitude and -113 degrees 44 minutes 29.98 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,010,025.6 feet and Y = 7,077,369.4 feet; thence the following courses along the said road center line:

thence North 66 Degrees 04 Minutes 51 Seconds East 241.7 feet
thence North 66 Degrees 24 Minutes 21 Seconds East 283.8 feet
thence North 65 Degrees 40 Minutes 48 Seconds East 285.4 feet
thence North 66 Degrees 07 Minutes 27 Seconds East 288 feet
thence North 69 Degrees 44 Minutes 40 Seconds East 196.5 feet
thence North 69 Degrees 45 Minutes 29 Seconds East 41.1 feet
thence North 69 Degrees 47 Minutes 51 Seconds East 32.8 feet
thence North 75 Degrees 39 Minutes 47 Seconds East 273.5 feet
thence North 76 Degrees 26 Minutes 18 Seconds East 276.3 feet
thence North 75 Degrees 58 Minutes 59 Seconds East 297.7 feet
thence North 74 Degrees 00 Minutes 00 Seconds East 304.5 feet
thence North 67 Degrees 15 Minutes 47 Seconds East 310.4 feet

thence North 63 Degrees 23 Minutes 16 Seconds East 310.9 feet
thence North 64 Degrees 17 Minutes 35 Seconds East 185.9 feet
thence North 64 Degrees 15 Minutes 21 Seconds East 110.8 feet
thence North 64 Degrees 53 Minutes 48 Seconds East 240.9 feet
thence North 65 Degrees 19 Minutes 31 Seconds East 251.3 feet
thence North 58 Degrees 29 Minutes 24 Seconds East 225.4 feet
thence North 58 Degrees 43 Minutes 08 Seconds East 57.4 feet
thence North 56 Degrees 41 Minutes 08 Seconds East 293.3 feet
thence North 64 Degrees 10 Minutes 07 Seconds East 303.8 feet
thence North 73 Degrees 35 Minutes 10 Seconds East 307.6 feet
thence North 74 Degrees 09 Minutes 05 Seconds East 292.7 feet
thence North 79 Degrees 04 Minutes 17 Seconds East 274.3 feet
thence North 86 Degrees 15 Minutes 01 Seconds East 284.9 feet
thence North 83 Degrees 52 Minutes 56 Seconds East 292.1 feet
thence North 67 Degrees 52 Minutes 52 Seconds East 289.6 feet
thence North 63 Degrees 17 Minutes 00 Seconds East 303.9 feet
thence North 63 Degrees 37 Minutes 25 Seconds East 159.4 feet more or less to **the ending**

point at: 39 degrees 44 minutes 04.82 seconds North Latitude and -113 degrees 43 minutes 7.4 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,016,539.9 feet and Y = 7,079,818.6 feet.

Appendix E to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 009

Road-Segment Length: 3.52 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 12 South Range 16 West, Section(s) 17,20,29,30, Salt Lake Base & Meridian

Township 12 South Range 17 West, Section(s) 25, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 009 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 44 minutes 23.33 seconds North Latitude and -113 degrees 42 minutes 029.8 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,019,522.4 feet and Y = 7,081,618.5 feet; thence the following courses along the said road center line:

| | |
|--|------------|
| thence North 56 Degrees 40 Minutes 33 Seconds East | 225.7 feet |
| thence North 57 Degrees 08 Minutes 34 Seconds East | 317.1 feet |
| thence North 58 Degrees 45 Minutes 38 Seconds East | 307 feet |
| thence North 59 Degrees 09 Minutes 33 Seconds East | 314.5 feet |
| thence North 59 Degrees 31 Minutes 52 Seconds East | 321.3 feet |
| thence North 62 Degrees 21 Minutes 14 Seconds East | 319.3 feet |
| thence North 69 Degrees 12 Minutes 33 Seconds East | 317.9 feet |
| thence North 70 Degrees 47 Minutes 20 Seconds East | 324.1 feet |
| thence North 71 Degrees 22 Minutes 27 Seconds East | 285.6 feet |
| thence North 71 Degrees 23 Minutes 15 Seconds East | 38.1 feet |
| thence North 70 Degrees 40 Minutes 12 Seconds East | 319.1 feet |

thence North 66 Degrees 07 Minutes 47 Seconds East 320.9 feet
 thence North 65 Degrees 16 Minutes 48 Seconds East 334.2 feet
 thence North 65 Degrees 18 Minutes 23 Seconds East 341.7 feet
 thence North 64 Degrees 15 Minutes 33 Seconds East 338.4 feet
 thence North 63 Degrees 14 Minutes 26 Seconds East 340.3 feet
 thence North 63 Degrees 36 Minutes 05 Seconds East 346.9 feet
 thence North 63 Degrees 28 Minutes 28 Seconds East 352.8 feet
 thence North 63 Degrees 54 Minutes 22 Seconds East 351.5 feet
 thence North 63 Degrees 24 Minutes 28 Seconds East 346.7 feet
 thence North 64 Degrees 01 Minutes 15 Seconds East 334.7 feet
 thence North 63 Degrees 19 Minutes 09 Seconds East 332.4 feet
 thence North 63 Degrees 23 Minutes 20 Seconds East 339.8 feet
 thence North 63 Degrees 50 Minutes 18 Seconds East 337.8 feet
 thence North 61 Degrees 49 Minutes 40 Seconds East 339 feet
 thence North 54 Degrees 18 Minutes 49 Seconds East 347.9 feet
 thence North 45 Degrees 43 Minutes 34 Seconds East 356.3 feet
 thence North 39 Degrees 10 Minutes 49 Seconds East 360.4 feet
 thence North 38 Degrees 40 Minutes 36 Seconds East 359.1 feet
 thence North 39 Degrees 06 Minutes 31 Seconds East 355.8 feet
 thence North 38 Degrees 47 Minutes 58 Seconds East 312.1 feet
 thence North 38 Degrees 48 Minutes 42 Seconds East 45.6 feet
 thence North 39 Degrees 19 Minutes 33 Seconds East 357.8 feet
 thence North 39 Degrees 08 Minutes 15 Seconds East 200.9 feet
 thence North 39 Degrees 08 Minutes 54 Seconds East 161.9 feet
 thence North 39 Degrees 02 Minutes 03 Seconds East 355.9 feet
 thence North 38 Degrees 52 Minutes 20 Seconds East 348.3 feet
 thence North 38 Degrees 51 Minutes 30 Seconds East 352 feet
 thence North 38 Degrees 51 Minutes 46 Seconds East 354.6 feet
 thence North 38 Degrees 57 Minutes 08 Seconds East 355.4 feet
 thence North 39 Degrees 21 Minutes 33 Seconds East 357.5 feet
 thence North 38 Degrees 59 Minutes 08 Seconds East 359.8 feet
 thence North 38 Degrees 56 Minutes 31 Seconds East 366.4 feet
 thence North 39 Degrees 05 Minutes 40 Seconds East 374 feet
 thence North 39 Degrees 02 Minutes 30 Seconds East 372.9 feet
 thence North 38 Degrees 58 Minutes 02 Seconds East 370.3 feet
 thence North 39 Degrees 04 Minutes 55 Seconds East 368.4 feet
 thence North 39 Degrees 04 Minutes 04 Seconds East 367.5 feet
 thence North 39 Degrees 14 Minutes 40 Seconds East 367.1 feet
 thence North 39 Degrees 00 Minutes 52 Seconds East 361.7 feet
 thence North 39 Degrees 04 Minutes 07 Seconds East 350.9 feet
 thence North 39 Degrees 09 Minutes 22 Seconds East 349.3 feet
 thence North 39 Degrees 22 Minutes 09 Seconds East 348.2 feet
 thence North 39 Degrees 43 Minutes 17 Seconds East 28.7 feet
 thence North 39 Degrees 42 Minutes 19 Seconds East 321.6 feet
 thence North 39 Degrees 27 Minutes 09 Seconds East 351.2 feet
 thence North 39 Degrees 34 Minutes 06 Seconds East 353.9 feet
 thence North 39 Degrees 37 Minutes 42 Seconds East 319.4 feet more or less to **the ending**

point at: 39 degrees 46 minutes 21.93 seconds North Latitude and -113 degrees 39 minutes 35.71 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet

coordinates of X = 1,033,405.8 feet and Y = 7,093,281.7 feet.

Appendix F to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 011

Road-Segment Length: 1.93 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 12 South Range 16 West, Section(s) 2,3,9,10, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 011 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 47 minutes 03.72 seconds North Latitude and -113 degrees 38 minutes 56.02 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,036,605.2 feet and Y = 7,097,434.3 feet; thence the following courses along the said road center line:

| | |
|--|------------|
| thence North 26 Degrees 25 Minutes 09 Seconds East | 9.7 feet |
| thence North 29 Degrees 25 Minutes 32 Seconds East | 2.6 feet |
| thence North 31 Degrees 15 Minutes 43 Seconds East | 47 feet |
| thence North 31 Degrees 22 Minutes 55 Seconds East | 39.3 feet |
| thence North 32 Degrees 11 Minutes 17 Seconds East | 158.7 feet |
| thence North 30 Degrees 05 Minutes 47 Seconds East | 229.3 feet |
| thence North 31 Degrees 24 Minutes 08 Seconds East | 280.7 feet |
| thence North 40 Degrees 47 Minutes 37 Seconds East | 314.7 feet |
| thence North 42 Degrees 40 Minutes 33 Seconds East | 338.1 feet |
| thence North 43 Degrees 09 Minutes 09 Seconds East | 356.6 feet |
| thence North 43 Degrees 26 Minutes 56 Seconds East | 356.1 feet |
| thence North 43 Degrees 28 Minutes 15 Seconds East | 362.6 feet |

thence North 43 Degrees 21 Minutes 18 Seconds East 370.9 feet
thence North 43 Degrees 22 Minutes 05 Seconds East 374.6 feet
thence North 43 Degrees 11 Minutes 45 Seconds East 243.5 feet
thence North 43 Degrees 11 Minutes 54 Seconds East 123.7 feet
thence North 42 Degrees 45 Minutes 55 Seconds East 367.8 feet
thence North 44 Degrees 45 Minutes 13 Seconds East 363.2 feet
thence North 52 Degrees 38 Minutes 47 Seconds East 366.5 feet
thence North 56 Degrees 31 Minutes 04 Seconds East 375.3 feet
thence North 56 Degrees 36 Minutes 31 Seconds East 379.3 feet
thence North 56 Degrees 38 Minutes 31 Seconds East 383.8 feet
thence North 56 Degrees 29 Minutes 21 Seconds East 386.4 feet
thence North 56 Degrees 14 Minutes 18 Seconds East 461.8 feet
thence North 56 Degrees 04 Minutes 35 Seconds East 301.6 feet
thence North 56 Degrees 01 Minutes 06 Seconds East 369.2 feet
thence North 56 Degrees 35 Minutes 22 Seconds East 326.9 feet
thence North 56 Degrees 35 Minutes 18 Seconds East 38.3 feet
thence North 57 Degrees 41 Minutes 08 Seconds East 365.8 feet
thence North 57 Degrees 59 Minutes 11 Seconds East 370.8 feet
thence North 58 Degrees 02 Minutes 34 Seconds East 373.3 feet
thence North 57 Degrees 09 Minutes 37 Seconds East 356.3 feet
thence North 52 Degrees 19 Minutes 10 Seconds East 352.4 feet
thence North 47 Degrees 52 Minutes 13 Seconds East 354.2 feet
thence North 47 Degrees 56 Minutes 03 Seconds East 258.2 feet
thence North 47 Degrees 55 Minutes 37 Seconds East 27.4 feet more or less to **the ending**

point at: 39 degrees 48 minutes 10.59 seconds North Latitude and -113 degrees 37 minutes 20.17 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,044,245.5 feet and Y = 7,104,019.9 feet.

Appendix G to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 013

Road-Segment Length: 0.2 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 12 South Range 16 West, Section(s) 1, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 013 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 48 minutes 46.88 seconds North Latitude and -113 degrees 36 minutes 12.85 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,049,584.2 feet and Y = 7,107,566.3 feet; thence the following courses along the said road center line:

thence North 54 Degrees 32 Minutes 11 Seconds East 351.2 feet

thence North 54 Degrees 58 Minutes 24 Seconds East 318 feet

thence North 53 Degrees 22 Minutes 16 Seconds East 314.6 feet

thence North 54 Degrees 06 Minutes 31 Seconds East 46 feet more or less to **the ending point**

at: 39 degrees 48 minutes 53.01 seconds North Latitude and -113 degrees 36 minutes 02.32 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,050,420.4 feet and Y = 7,108,167.3 feet.

Appendix H to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 015

Road-Segment Length: 0.41 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 11 South Range 15 West, Section(s) 31,32, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 015 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 49 minutes 30.52 seconds North Latitude and -113 degrees 34 minutes 58.83 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,055,460.8 feet and Y = 7,111,845.5 feet; thence the following courses along the said road center line:

thence North 54 Degrees 22 Minutes 20 Seconds East 209.2 feet

thence North 54 Degrees 02 Minutes 48 Seconds East 391.8 feet

thence North 54 Degrees 12 Minutes 28 Seconds East 395.1 feet

thence North 53 Degrees 50 Minutes 54 Seconds East 372.6 feet

thence North 53 Degrees 48 Minutes 34 Seconds East 368.3 feet

thence North 53 Degrees 38 Minutes 35 Seconds East 380.9 feet

thence North 54 Degrees 00 Minutes 10 Seconds East 1.6 feet

thence North 53 Degrees 56 Minutes 35 Seconds East 27.5 feet more or less to **the ending**

point at: 39 degrees 49 minutes 04.4 seconds North Latitude and -113 degrees 34 minutes 36.96 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,057,196.9 feet and Y = 7,113,108.7 feet.

Appendix I to Attachment 4

Popular Name: POLE LINE ROAD

County: Juab

County Road Number: 15119901

State Geographic Information Database (SGID) Road Identification Number: RD121018.

Road-Segment Number: 017

Road-Segment Length: 1.65 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 11 South Range 15 West, Section(s) 28,29, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (POLE LINE ROAD)-- Segment 017 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 39 degrees 49 minutes 45 seconds North Latitude and -113 degrees 34 minutes 34.25 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,057,411.7 feet and Y = 7,113,265.0 feet; thence the following courses along the said road center line:

| | |
|--|------------|
| thence North 53 Degrees 57 Minutes 44 Seconds East | 87.7 feet |
| thence North 54 Degrees 05 Minutes 01 Seconds East | 377.5 feet |
| thence North 53 Degrees 56 Minutes 46 Seconds East | 380.2 feet |
| thence North 54 Degrees 37 Minutes 51 Seconds East | 383.8 feet |
| thence North 54 Degrees 33 Minutes 56 Seconds East | 329.6 feet |
| thence North 54 Degrees 25 Minutes 03 Seconds East | 451.1 feet |
| thence North 54 Degrees 33 Minutes 31 Seconds East | 408.2 feet |
| thence North 54 Degrees 40 Minutes 59 Seconds East | 407.2 feet |
| thence North 54 Degrees 34 Minutes 16 Seconds East | 411.8 feet |
| thence North 54 Degrees 26 Minutes 07 Seconds East | 416.1 feet |
| thence North 55 Degrees 04 Minutes 17 Seconds East | 420.4 feet |
| thence North 55 Degrees 20 Minutes 16 Seconds East | 416.3 feet |

thence North 56 Degrees 19 Minutes 48 Seconds East 412.3 feet
thence North 56 Degrees 24 Minutes 18 Seconds East 413.1 feet
thence North 56 Degrees 51 Minutes 01 Seconds East 302.5 feet
thence North 56 Degrees 52 Minutes 10 Seconds East 106.5 feet
thence North 56 Degrees 33 Minutes 57 Seconds East 406.5 feet
thence North 55 Degrees 10 Minutes 56 Seconds East 114.4 feet
thence North 55 Degrees 10 Minutes 56 Seconds East 292.7 feet
thence North 53 Degrees 29 Minutes 05 Seconds East 406 feet
thence North 52 Degrees 38 Minutes 44 Seconds East 391.6 feet
thence North 51 Degrees 56 Minutes 36 Seconds East 377.8 feet
thence North 52 Degrees 15 Minutes 11 Seconds East 344.9 feet
thence North 58 Degrees 17 Minutes 32 Seconds East 289.7 feet
thence North 74 Degrees 58 Minutes 44 Seconds East 350.3 feet more or less to **the ending**

point at: 39 degrees 50 minutes 35.11 seconds North Latitude and -113 degrees 33 minutes 04.01 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah Central Zone NAD 83 feet coordinates of X = 1,064,565.7 feet and Y = 7,118,171.2 feet.